

**Listing of the Claims:**

1. (Previously Presented) A lancet device comprising:
  - (a) a lancet including a seamless unitary member which is hollowed along at least a portion of its length, the unitary member including a first end and a second end, wherein the first end of the unitary member is shaped to include first and second sharpened tips; and
  - (b) a lancet holder arranged and configured to hold the lancet and move the lancet to penetrate the skin of a patient.
2. (Previously Presented) The lancet device as claimed in claim 1 wherein the seamless unitary member is in the form of a cylindrical tube.
3. (Previously Presented) A lancet device comprising:
  - a lancet including a unitary member which is hollowed along at least a portion of its length, the unitary member including a first end and a second end, wherein the first end of the unitary member includes first and second ground surfaces which at least partially define first and second sharpened tips; and
  - a lancet holder arranged and configured to hold the lancet and move the lancet to penetrate the skin of a patient.
4. (Previously Presented) The lancet device as claimed in claim 3 wherein the unitary member is in the form of a cylindrical tube.
5. (Previously Presented) The lancet device as claimed in claim 3 wherein the unitary member includes a longitudinal axis, a lateral axis, a vertical axis, a horizontal plane and a vertical plane.
6. (Previously Presented) The lancet device as claimed in claim 5 wherein each of the first and second ground surfaces is a planar surface.

7. (Previously Presented) The lancet device as claimed in claim 6 wherein each of the first and second ground surfaces is a single angle ground surface.

8. (Previously Presented) The lancet device as claimed in claim 7 wherein the first ground surface extends from the horizontal plane at an acute angle relative to the longitudinal axis.

9. (Previously Presented) The lancet device as claimed in claim 8 wherein the first and second ground surfaces mirror one another about the horizontal plane.

10. (Previously Presented) The lancet device as claimed in claim 9 wherein each of the first and second ground surfaces extends approximately 180 degrees about the longitudinal axis.

11-31. (canceled)

32. (withdrawn) A lancet comprising:

(a) a unitary member which is hollowed along at least a portion of its length, said unitary member including a first end and a second end,

(b) wherein the first end of said unitary member is shaped to include first, second and third sharpened tips.

33. (withdrawn) The lancet of claim 32 wherein said unitary member is seamless.

34. (withdrawn) The lancet of claim 33 wherein said unitary member is in the form of a cylindrical tube.

35. (withdrawn) The lancet of claim 34 wherein the first end of said unitary member includes first, second and third ground surfaces.

36. (withdrawn) The lancet as claimed in claim 35 wherein said unitary member includes a longitudinal axis, a lateral axis, a vertical axis, a horizontal plane and a vertical plane.
37. (withdrawn) The lancet as claimed in claim 36 wherein each of said first, second and third ground surfaces is a planar surface.
38. (withdrawn) The lancet as claimed in claim 37 wherein each of said first, second and third ground surfaces is a single angle ground surface.
39. (withdrawn) The lancet as claimed in claim 38 wherein said first ground surface extends from the horizontal plane at an acute angle relative to the longitudinal axis.
40. (withdrawn) The lancet as claimed in claim 39 wherein each of said first, second and third ground surfaces extends approximately 120 degrees about the longitudinal axis.
41. (withdrawn) The lancet as claimed in claim 40 wherein said first, second and third ground surfaces are spaced equidistantly apart from one another.
- 42.-53. (canceled)
54. (withdrawn) A lancet comprising:  
    (a) a unitary member including a first end, a second end and a longitudinal axis,  
    (b) wherein the first end of said unitary member is shaped to include first, second and third ground surfaces which together at least partially define a single tip and first, second and third cutting edges.
55. (withdrawn) The lancet of claim 54 wherein the first, second and third cutting edges are spaced approximately 120 degrees apart from one another about the longitudinal axis.

56-58. (canceled)

59. (withdrawn) A lancet comprising:

- (a) a unitary member including a first end, a second end and a longitudinal axis,
- (b) wherein the first end of said unitary member is shaped to include first, second, third and forth ground surfaces which together at least partially define a single tip and first, second, third and forth cutting edges.

60. (withdrawn) The lancet of claim 59 wherein the first, second, third and fourth cutting edges are spaced approximately 90 degrees apart from one another about the longitudinal axis.

61. (canceled)

62. (canceled)

63. (Previously Presented) A lancet device comprising:

- a lancet including a hollow unitary member having an outer wall, a first end, a second end and a length therebetween, wherein the outer wall defines a first tip and a second tip at the first end; and
- a lancet holder arranged and configured to hold the lancet and move the lancet to penetrate the skin of a patient.

64. (Previously Presented) The lancet device of claim 63, wherein the first tip and the second tip are at least partially defined by first and second ground surfaces.

65. (Previously Presented) The lancet device of claim 63, wherein the first tip and the second tip are separated by first and second ground surfaces.

66. (Previously Presented) The lancet device of claim 63 wherein the unitary member is in the form of a cylindrical tube.

67. (Previously Presented) The lancet device as claimed in claim 1, wherein said unitary member is rigid.